


COUNTERWEIGHT OR CLAMP TO STRUCTURE TO PROVIDE RESISTANCE TO OVERTURNING WITH A SAFETY FACTOR OF 4 TO 1. REFER TO TABLE BELOW FOR REQUIREMENTS. USE COUNTERWEIGHT ADAPTERS TO SECURE ADDITIONAL WEIGHTS AS REQUIRED.

COUNTERWEIGHT REQUIRED			
#	MAX. LOAD	REACH	COUNTERWEIGHT
1	1,000 LBS	10 FT	1720 LBS



A DIVISION OF AGF ACCESS GROUP INC.





UNLESS OTHERWISE SPECIFIED

TITLE:
10 FT CABLE TRUSS SYSTEM
WITH 24FT BACKSPAN

DO NOT SCALE	DRAWN: MI	DATE: 9/09/2019	SCALE:
MANUFACTURING TOLERANCES UNLESS OTHERWISE SPECIFIED ANGULAR ± 0.5° FRACTIONAL ± 1/32" 2 PLC. DEC. ± 0.01" 3 PLC. DEC. ± 0.001" 4 PLC. DEC. ± 0.0005"	This drawing is the property of Winsafe Corp. It is loaned with the express agreement that the drawing and the information contained therein are property of Winsafe Corp., and will not be used in whole or in part to assist in making or to furnish any information for the making of apparatus or parts thereof except upon written permission of Winsafe Corp.		CHECK: RV APP: DRAWING NO.: SK090519

Aa

Parts List			
ITEM	PART NUMBER	DESCRIPTION	QTY
1	WSOR37	8 FT MID BEAM	2
2	WSOR##	8 FT REAR OR MID BEAM	1
3	WSOR40H	30 INCH BEAM SPLICE	2
4	WSOR36 or 253	10 FT FRONT BEAM	1
5	WSOR473	10 FT CABLE TRUSS KIT	1



UNLESS OTHERWISE SPECIFIED

TITLE:
10 FT CABLE TRUSS SYSTEM
WITH 24FT BACKSPAN

DO NOT SCALE	DRAWN: MI	DATE: 9/09/2019	SCALE:
MANUFACTURING TOLERANCES UNLESS OTHERWISE SPECIFIED ANGULAR ± 0.5 FRACTIONAL ± 1/32" 2 PLC. DEC. ± 0.01" 3 PLC. DEC. ± 0.001" 4 PLC. DEC. ± 0.0005"	This drawing is the property of Winsafe Corp. It is loaned with the express agreement that the drawing and the information contained therein are property of Winsafe Corp., and will not be used in whole or in part to assist in making or to furnish any information for the making of apparatus or parts thereof except upon written permission of Winsafe Corp.		CHECK: RV APP: DRAWING NO.: SK090519 Aa