

SIA

Training Program

CPT Frame Scaffold
Table of Contents

Chapter 1 – Identify Role Of A Scaffolder
Chapter 2 – Identify US Regulations, Codes and Standards
Chapter 2A – Learn US Federal OSHA Scaffold Standards
Chapter 3 – Identify Frame Scaffolds
Chapter 4 – Identify Foundation Requirements
Chapter 5 – Describe Ties
Chapter 6 – Identify Typical Uses For Frame Scaffolds
Chapter 7 – Identify Platforms and Platform Materials
Chapter 8 – Describe Platform Guardrail Systems
Chapter 9 – Identify How Frame Scaffold Towers Are Erected
Chapter 10 – Identify How Rolling Tower Frame Scaffolds are Erected
Chapter 11 – Describe Tower Frame Scaffold Erection
Chapter 12 – Erect A Four-Lift Tower Frame Scaffold
Chapter 13 – Erect A Rolling Tower Scaffold
Chapter 14 – Erect A Tower Scaffold
Chapter 15 – Scaffold User Hazard Awareness
Appendix A – SIA Codes Of Safe Practices
Appendix B – 29CFR1926, Subpart L

Competent Person Training (CPT) for Frame Scaffold



Picture Courtesy of Millstone Corporation

Competent Person Training is also available for Tube and Clamp scaffolding and System scaffolding.

The training is usually completed in a one day workshop format. To accomplish the program in one day students are required to read the course material in advance of the workshop. The workshop itself reviews the course material and includes hands-on scaffold erection and dismantling during which the student is coached and observed.

Other lesson plans are available depending on your training requirements. If training in two or more scaffold systems is desired the training program may take two or more days depending on the previous experience of those attending the workshop.

Courses are conducted by Accredited Trainers throughout the United States and Canada.



2725 S 163rd Street
New Berlin, WI 53151
Contact:

Nick Rubenzer
nick.rubenzer@apiconst.us

Tel: (262) 923-9621

This section supplements and clarifies the requirements of 1926.21(b)(2) as these relate to the hazards of work on scaffolds.

1926.454(a)

The employer shall have each employee who performs work while on a scaffold trained by a person qualified in the subject matter to recognize the hazards associated with the type of scaffold being used and to understand the procedures to control or minimize those hazards. The training shall include the following areas, as applicable:

1926.454(a)(1) The nature of any electrical hazards, fall hazards and falling object hazards in the work area;

1926.454(a)(2) The correct procedures for dealing with electrical hazards and for erecting, maintaining, and disassembling the fall protection systems and falling object protection systems being used;

1926.454(a)(3) The proper use of the scaffold, and the proper handling of materials on the scaffold;

1926.454(a)(4) The maximum intended load and the load-carrying capacities of the scaffolds used; and

1926.454(a)(5) Any other pertinent requirements of this subpart.

..1926.454(b)

1926.454(b)

The employer shall have each employee who is involved in erecting, disassembling, moving, operating, repairing, maintaining, or inspecting a scaffold trained by a competent person to recognize any hazards associated with the work in question. The training shall include the following topics, as applicable:

1926.454(b)(1) The nature of scaffold hazards;

1926.454(b)(2) The correct procedures for erecting, disassembling, moving, operating, repairing, inspecting, and maintaining the type of scaffold in question;

1926.454(b)(3) The design criteria, maximum intended load-carrying capacity and intended use of the scaffold;

1926.454(b)(4) Any other pertinent requirements of this subpart.

1926.454(c)

When the employer has reason to believe that an employee lacks the skill or understanding needed for safe work involving the erection, use or dismantling of scaffolds, the employer shall retrain each such employee so that the requisite proficiency is regained. Retraining is required in at least the following situations:

1926.454(c)(1) Where changes at the worksite present a hazard about which an employee has not been previously trained; or

..1926.454(c)(2)

1926.454(c)(2) Where changes in the types of scaffolds, fall protection, falling object protection, or other equipment present a hazard about which an employee has not been previously trained; or

1926.454(c)(3) Where inadequacies in an affected employee's work involving scaffolds indicate that the employee has not retained the requisite proficiency.